

-
- Naef M., Mouton W.G., Naef U., van der Weg B., Maddern G.J., Wagner H.E.: Esophageal dysmotility disorders after laparoscopic gastric banding – An underestimated complication. *Ann Surg* 2011, 253: 285-290
 - Naef M., Mouton W.G., Naef U., Kummer O., Muggli B., Wagner H.E.: Graft survival and complications after laparoscopic gastric banding for morbid obesity – Lessons learned from a 12-year experience. *Obes Surg* 2010, 20: 1206-1214
 - Naef M., Naef U., Mouton W.G., Wagner H.E.: Outcome and complications after laparoscopic Swedish adjustable gastric banding – 5-year results of a prospective clinical trial. *Obes Surg* 2007, 17: 195-201
 - Sabbioni M.E., Dickson M.H., Eychmüller S., Franke D., Goetz S., Hürny C., Naef M., Balsiger B., de Marco D., Bürgi U., Büchler M.W.: Immediate results of health related quality of life after vertical banded gastroplasty. *Int J Obesity* 2002, 26: 277-280
 - Mouton W.G., Naef M., Bessell J.R., Otten K.T., Wagner H.E., Maddern G.J.: A randomized controlled trial to determine the effect of humidified carbon dioxide insufflation on postoperative pain following thoracoscopic procedures. *Surg Endosc* 2001, 15: 579-581
 - Guo X.Z., Friess H., Maurer Ch., Tang W.H., Zimmermann A., Naef M., Graber H.U., Korc M., Büchler M.W.: KAI1 is unchanged in metastatic and non-metastatic esophageal and gastric cancers. *Cancer Res* 1998, 58: 753-758
 - Naef M., Baer H.U., Glaser Ch., Wheatley A.M., Schilling M.K., Seiler Ch., Büchler M.W.: Evaluation of laser Doppler flowmetry to assess Cyclosporine A induced impairment of renal blood flow. *J Surg Res* 1998, 75: 161-164
 - Naef M., Ishiwata T., Friess H., Büchler M.W., Gold L.I., Korc M.: Differential localization of transforming growth factor β isoforms in human gastric mucosa and overexpression in gastric carcinoma. *Int J Cancer* 1997, 71: 131-137
 - Deflorin J., Friess H., Schobinger S., Bründler M.-A., Schilling M., Naef M., Korc M., Büchler M.W.: Overexpression of the epidermal growth factor receptor family in gastric cancer suggests a role in tumor pathogenesis. *Digest Surg* 1997, 14: 252-259
 - Naef M., Yokoyama M., Friess H., Büchler M.W., Korc M.: Co-expression of heparin binding EGF-like growth factor and related peptides in gastric carcinoma. *Int J Cancer* 1996, 66: 315-321